

Severn Trent Connect

Wholesale charges 2022/23

Wholesale charges 2022/23

1.0 Introduction

Severn Trent Services (Water and Sewerage) Limited T/A Severn Trent Connect (ST Connect) is a licensed wastewater undertaker operating in the New Appointments and Variations (NAV) market in England.

This document contains ST Connect's Wholesale Charges Scheme (the Scheme) for 2022/23.

This scheme has been produced with reference to the wholesale charging rules set out by the Water Services Regulation Authority (Ofwat). The full text of the rules is available here:

<https://www.ofwat.gov.uk/wp-content/uploads/2018/10/Wholesale-Charging-Rules-issued-by-OFWAT-under-sections-66E-and-117I-of-the-Water-Industries-Act-1991.pdf>

2.0 General principles

Since April 2017 eligible non-household premises have been able to choose their supplier of retail services for water and wastewater services. Eligible premises are defined in the guidance as set out by Ofwat. Further information can be found here:

<https://www.ofwat.gov.uk/publication/eligibility-guidance-whether-non-household-customers-england-wales-eligible-switch-retailer/>

This scheme sets out our wholesale charges for services to such non-household premises. The charges at point of use will be subject to Retail services charges as applied by regulated non-household retailers. Open Water provide a list of all retailer licences to provide services in England. Further information can be found here:

<https://www.open-water.org.uk/for-customers/find-a-retailer/suppliers/english-water-and-wastewater-retailers/>

The scheme is applicable only to areas for which ST Connect is the appointed wholesaler for sewerage services; these are shown below:

- Wellesley, Aldershot
- Aurum Green, Basingstoke.

3.0 A guide to Wholesale bills

3.1 Primary charges

Primary charges are the charges for the provision of services to enable removal and treatment of wastewater from premises. Primary charges are made up of volumetric and fixed charges.

3.1.1 Sewerage volumetric charge

The volumetric charge is calculated by reference to the consumption of water recorded through the water meter fitted to the premise, multiplied by the applicable volumetric rate (pounds per cubic meter), as set out in Section 7.0.

The calculation includes an allowance for the water delivered to the premises but is not discharged from the premise. Should a customer be able to demonstrate with reasonable evidence that the volume not discharged from the premises is greater than the allowance applied, ST Connect will consider reducing the volume used in the charge calculation.

3.1.2 Sewerage fixed charge

For each premises a fixed annual charge will apply, this will be built up from charges relating to surface water drainage, highway drainage and foul drainage. The applicable charges are set out in Section 7.0.

Where customers can demonstrate with reasonable evidence their premises are not connected to the surface water sewer, the fixed charges relating to surface water drainage will not be applied.

3.2 Applying charges

Charges will become due upon receipt by the Licensee of an invoice from ST Connect, the invoice to be based upon the scheduled settlement reports issued by the Market Operator. Payment terms will be in accordance with the Wholesale – Retail contract signed between the Licensee and ST Connect. For the avoidance of doubt, where ST Connect fails to issue an invoice or the non-receipt of an invoice by the Licensee does not negate the responsibility of the Licensee to pay the due charges.

3.2.1 Sewerage charge

All premises within ST Connect's areas of appointment for sewerage services will be metered for water supply, such meters recording the supply of water to the premises will form the basis for the volumetric elements of the sewerage charges. Fixed sewerage charges will apply, including charges for surface water drainage, except where Licensees can demonstrate to the satisfaction of ST Connect their customers' premise(s) are disconnect from the surface water drainage network.

3.3 Non-primary charges

Non-primary charges are for services not directly associated with removing and treating sewage. A list of such charges is provided in Section 9.0, ST Connect reserve the right to make charges for services additional to those published.

3.4 Trade effluent

Please see Section 8.0 for information on Trade effluent charging.

4.0 Wholesale/Retail contract

Licensees wishing to provide retail services to eligible non-household customers with ST Connect's area of appointment, must first enter into a contract for wholesale services with ST Connect. Further information can be found on the Market Operator's website: [Market Codes \(mosl.co.uk\)](https://www.mosl.co.uk)

5.0 Surface water drainage rebate

If a customer can show that their non-household property does not have any surface water draining to the public sewer, they will not have to pay the full fixed wastewater charge. Retailers should submit applications for an adjustment to us using Market Code Form H/01. If the application is successful a reduced charge will apply and these are detailed in the relevant charge table in Section 7.0.

6.0 Trade effluent – General information

Trade effluent is anything that is not domestic sewage (toilet, bath or handwashing waste) or uncontaminated surface water and roof drainage (rainwater). Wastewater discharges from hotels, pubs, restaurants, takeaways and caravan parks are not classed as Trade effluent. They are, however, regulated under Section 111 of the Water Industry Act 1991. Premises found to be discharging fats, oils, greases and food scraps to sewer, which then cause blockages or prove injurious to the safe operation of our assets, can be prosecuted.

Does a non-household customer need a consent for Trade effluent?

We need to know if a non-household customer plans to discharge anything other than domestic waste into a drain which is connected to our public sewer. It is the customer's responsibility to obtain consent prior to commencing any Trade effluent discharge.

It is a criminal offence under Section 118 (5) of the Water Industry Act to discharge any Trade effluent to sewer without the consent of the Sewerage Undertaker. Non-Household customers may be subject to legal action if they discharge without consent.

If a non-household customer manufactures or processes materials such as chemicals, metal finishing, food and drink, or if they operate a small launderette or car wash, it is likely that they will need a Trade effluent consent from Severn Trent Connect.

Short term discharges (e.g. contaminated groundwater from land remediation/building projects, flushing of central heating/cooling systems in commercial premises, etc.) are subject to temporary Trade effluent authorisation.

Retailers will need to complete an application known as a Trade effluent Notice and send this to us. To download the application form and find out more information please visit:

www.st-connect.co.uk/business-customers/trade-effluent

We will charge the Retailer a fee for processing new applications and for any changes to terms and conditions that we approve. The related charges are detailed in Section 9.0.

6.1 Trade effluent – Basis of charge

To calculate the Trade effluent charges, we apply the industry standard Mogden Formula. This enables us to calculate the strength of the effluent in relation to the average sewage strength. We use this calculation to determine the relevant banding and then apply the associated unit tariff. The standard tariff formula is shown below, if you require any further information on how we calculate the charges please contact us.

6.1.1 Volume and strength charge – Standard tariff formula

The charge per cubic metre of Trade effluent shall be derived from the formula -

$$R + V + \left(\frac{Ot}{Os} \right) B + \left(\frac{St}{Ss} \right) S$$

Where:

R = the amount shown in the Trade effluent Charges Schedule. This is the average volume related wastewater charge for receiving into its public sewers and conveying one cubic metre of foul sewage to Severn Trent Connect's sewage treatment works;

V = the amount shown in the Trade effluent Charges Schedule. This is the average charge by Severn Trent Connect for primary treatment of one cubic metre of foul sewage at Severn Trent Connect's sewage treatment works;

Ot = the Chemical Oxygen Demand of the Trade effluent (in milligrammes per litre) after one hour of quiescent settlement or such other parameter as may be determined by Severn Trent Connect;

Os = the Chemical Oxygen Demand of average strength settled foul sewage (in milligrammes per litre) after one hour of quiescent settlement or such other parameter as determined at Severn Trent Connect's sewage treatment works;

B = the amount shown in the Trade effluent Charges Schedule. This is the average charge by Severn Trent Connect for biological oxidation of one cubic metre of foul sewage at Severn Trent Connect's sewage treatment works;

St = the total suspended solids settleable in one hour from the Trade effluent at pH 7.0 or at the pH of mixed sewage (in milligrammes per litre);

Ss = the total suspended solids removed from average strength foul sewage by settlement (in milligrammes per litre) in one hour at pH 7.0 or the pH of mixed sewage as determined by Severn Trent Connect;

S = the amount shown in the Trade effluent Charges Schedule. This is the average charge by Severn Trent Connect, per cubic metre of sewage received, for treatment and disposal of sludge from Severn Trent Connect's sewage treatment works;

6.1.2 Who will we charge?

Charges shall be payable by licensees providing retail services to customers discharging Trade effluent as defined below:

- a. any person who makes a discharge of Trade effluent in accordance with a Trade effluent consent (whether directly or indirectly through any intermediate sewer or drain) to a public sewer or sewage treatment works at any time during the period to which this scheme relates; or
- b. any person to whom a Trade effluent consent applies or has been given and, who at the time the Trade effluent is or is authorised to be discharged described in (a) above, occupies the premises from which the discharge is made; or
- c. any person making a discharge of effluent, which is however not deemed a Trade effluent to be received (whether directly or indirectly through any intermediate sewer or drain) to a public sewer or sewage treatment works at any time during the period to which this scheme relates.

7.0 2022/23 Wholesale wastewater charges

Table 1 Non-household variable charges

| Consumption (m3 per annum) | Variable charge (pence/m3) |
|----------------------------|----------------------------|
| 0 - 100,000 | 94.88 |
| 100,000 – 250,000 | 75.90 |
| Over 250,000 | 75.90 |

Table 2 Non-household fixed charges

| Pipe size (mm) | Wastewater | |
|----------------|------------|------------|
| | Full | Reduced |
| 12/15 | £47.19 | £13.04 |
| 20/22 | £122.54 | £50.15 |
| 25/28 | £219.08 | £89.80 |
| 30/32/35 | £341.64 | £139.96 |
| 40/42 | £491.49 | £200.60 |
| 50/54 | £872.70 | £356.89 |
| 65 | £1,365.34 | £558.67 |
| 75/80 | £1,964.50 | £803.60 |
| 100 | £3,493.28 | £1,428.73 |
| 125 | £5,457.80 | £2,232.35 |
| 150 | £7,859.28 | £3,214.36 |
| 200 | £13,971.85 | £5,714.96 |
| 250 | £21,829.84 | £8,929.33 |
| 300 | £31,435.66 | £12,858.63 |

Table 3 Supplementary large user annual wastewater charge

For high volume users there is an additional supplementary charge payable.

| Tariff | Consumption per annum | Annual charge |
|----------------------------------|-----------------------|---------------|
| Large volume user- Wastewater | > 100,000 m3 | £18,976.00 |

Table 4 Sundry charges

Where a single lock-up garage, car space or storage area only benefits from surface water drainage a fixed annual wastewater charge for each unit will apply.

Wastewater fixed charge**(£)**

7.75

8.0 2022/23 Trade effluent charges

Table 1 Trade effluent fixed charges

| Discharge volume (m3 per annum) | Fixed charge | Minimum charge |
|---------------------------------|--------------|----------------|
| Tariff A: Small usage (0-500m3) | N/A | £141.38 |

Table 2 Standard volume charges

| Description | Pence per m3 or kg |
|------------------------------|--------------------|
| Reception and conveyance (R) | 15.79p/m3 |
| Primary treatment (V) | 18.46p/m3 |
| Biological treatment (B) | 53.19p/kg |
| Solids treatment (S) | 67.41p/kg |

Table 3 Average strength factors used in trade effluent formula

| | | |
|-------------------------------|-----|---------|
| Chemical Oxygen demand | -Os | 445mg/l |
| Settleable solids | -Ss | 336ml/l |

Table 4 Standard strength discharges (mg/l)

| Standard strength premises | Value for Ot | Value for St |
|-----------------------------------------------------------------------------------|--------------|--------------|
| Launderettes | 576 | 58 |
| Car Washes | 88 | 62 |
| Dry Cleaners | 30 | 7 |
| Commercial swimming pools | 120 | 108 |
| Small / micro-brewery | 1730 | 88 |
| Concrete contaminated sites (batching plants, wheel washes on construction sites) | 116 | 58 |
| Laboratory glassware washing | 308 | 34 |
| Bus wash | 621 | 92 |
| Train wash | 594 | 71 |
| Contaminated surface water at waste transfer sites | 638 | 81 |
| Gasholder runoff | 20 | 11 |
| Groundwater | 118 | 114 |

Standard strength discharges, shown in the table above, will be applied for charging purposes unless we determine that it is not a suitable basis of charge in specific circumstances or if the customer requests charging to be based on sample results.

Table 5 Miscellaneous trade effluent charges

| Description | Charge |
|-----------------------------------------------------------------------------------------------|---------|
| Minimum charge per annum or duration of consent, whichever is the shorter | £141.38 |
| Ammoniacal nitrogen treatment charge per mg in excess of 35mg/l expressed as a fraction of 35 | 2.86p |

Table 6 Large volume user charges

Where a bill is more than £106,685 at a single site charges will be based on our large user trade effluent tariffs.

| Description | Charge |
|--------------------------------------------------|-----------------------|
| Large volume annual supplementary charge (fixed) | £21,337.09 |
| Reception and conveyance (R) | 12.83p/m ³ |
| Primary treatment (V) | 14.81p/m ³ |
| Biological treatment (B) | 42.63p/kg |
| Solids treatment (S) | 54.08p/kg |

9.0 Non-Primary Wholesale charges

| Description | Charge |
|-----------------------------------------------------------|-----------------------------------------------------------|
| Verification of supply – Site inspection | £100.00 for the first hour £50.00 for additional hours |
| Verification of supply – Abortive visit | Recovery of reasonable costs |
| Information requests | POA |
| Trade Effluent | |
| Assessing applications for trade effluent consents | |
| Temporary application fee | £54 |
| Full application fee | £223 |
| Sample fee (per sample) | £119 |
| Sewerage modelling | POA |
| Abortive charge | £54 |
| Assessing variations to trade effluent consents | |
| Application fee | £85 |
| Sample fee (per sample) | £119 |

| | |
|---------------------------------------------------------|------|
| Sewerage modelling | POA |
| Abortive charge | £54 |
| Sampling and Analysis for trade effluent billing | |
| Sample fee (per sample) | £119 |
| Abortive charge | £54 |
| Monitoring trade effluent discharges | |
| Sample fee (per sample) | £119 |
| Abortive charge | £54 |

10.0 Contact us

You can contact us at:

Severn Trent Connect
 Severn Trent Centre
 2 St John's Street
 Coventry
 CV1 2LZ

0345 450 9549

Customer@severntrentconnect.com

www.st-connect.co.uk

Severn Trent Services (Water and Sewerage) Ltd (T/A Severn Trent Connect)
 Registered in England No. 8880470
 Registered Office: Severn Trent Centre, 2 St John's Street, Coventry, CV1 2LZ